

9600387

THE UNIVERSALES OF AMIERICAL

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Pioneer Hi-Bred International, Inc.

Thorous, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN COUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY TECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'9234'

In Vestimonn Mexect, I have hereunto set my hand and caused the seal of the Plant Bariety Protection Office to be affixed at the City of Washington, D.C. this thirty-first day of March, in the year of our Lord two thousand.

An noire Il

Commissioner Plant Variety Protection Office Saricultural Marbetina Service of Agriculture

REPRODUCE LOCALLY. Include form number and date on all		FORM APPROVED - OMB NO. 0581-0055			
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE DIVISION - PLANT VARIETY PROTECTION	The following statements are made 1974 (5 U.S.C. 552a).	The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a).			
APPLICATION FOR PLANT VARIETY PROTECTIO (Instructions and information collection burden statem	N CERTIFICATE		determine if a plant variety protection 2421). Information is held confidential 2426).		
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME		
Pioneer Hi-Bred International, Inc.			9234		
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and C	Country)	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY		
700 Capital Square		515/270-3582	PVPO NUMBER 9600387		
400 Locust Street					
Des Moines, Iowa 50309		6. FAX (include area code)	F DATE STATE OF THE STATE OF TH		
		515/253-2288	1 X11 A 30 1991		
ENUS AND SPECIES NAME	8. FAMILY NAME (Bo	tanical)	FILING AND EXAMINATION FEE:		
Glycine max L.	Lugumino	osae	[:2450,00		
ROP KIND NAME (Common name)			S DATE		
Soybean			R Nug. 23, 1996		
F THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORGAN Corporation	IZATION (corporation, partners	hip, association, etc.) (Common name)	c CERTIFICATION FEE:		
IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION	DATE 1		
lowa		May 6, 1926	## <i>(CX-4</i> 8,77)		
NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	SERVE IN THIS APPLICATION	DN AND RECEIVE ALL PAPERS	(include area code)		
John Grace	Debra Blair	(Copy)	515/270-3582		
7300 NW 62nd Ave.	700 Captial	* ***			
P.O. Box 1004	400 Locust S	•	15. FAX (include area code)		
Johnston, Iowa 50131-1004	, Iowa 50309	515/253-2288			
a. Exhibit A. Origin and Breeding History of the Variety b. Exhibit B. Statement of Distinctness c. Exhibit C. Objective Description of the Variety d. Exhibit D. Additional Description of the Variety e. Exhibit E. Statement of the Basis of the Applicant's Ownership f. Voucher Sample (2,600 viable untreated seeds or, for tuber pro g. Filing and Examination Fee (\$2450), made payable to "Treasure DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SOLD	pagated varieties verification of the United States"	Mail to PVPO)			
YES If "yes," answer items 18 and 19 below)		o," go to item (20)	n ostaj of the Flant Variety Protection Acty?		
DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LIMIT SENERATIONS?	ED AS TO NUMBER OF	19. IF "YES" TO ITEM 18, WHICH CLASSES O	F PRODUCTION BEYOND BREEDER SEED?		
YES NO		FOUNDATION REGISTER	RED CERTIFIED		
HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BEEN YES (If "yes," give names of countries and dates) U.S 1996	RELEASED, USED, OFFERI	L ED FOR SALE, OR MARKETED IN THE U.S. OF	OTHER COUNTRIES?		
The applicant(s) declare that a viable sample of basic seed of the variety applicable, or for a tuber propagated variety a tissue culture will be deported to the understand applicant(s) is(are) the owner(s) of this sexually repro-	osited in a public repository luced or tuber propagated p	y and maintained for the duration of the certific plant variety, and believe(s) that the variety is	cate		
Section 41, and is entitled to protection under the provisions of Section Applicant(s) is(are) informed that false representation herein can jeopare	•				
ATURE OF APPLICANT (Owner(s))		ATURE OF APPLICANT (Owner(s))			
V. John Mace TIL					
E (Blease print or type) D. John Grace III	NAME	. (Please print or type)	·		
D. John Chace III			1		
4017400 777 7		CITY OR TITLE	DATE		
Soybean Research Coordinator	20/96 CAPA				

Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 9234

Variety 9234 evolved from a 1988 cross of 9221/9162.

It is an F5-derived variety which was advanced to the F5 generation by modified single seed descent. The F6 progeny row of 9234 was grown in the summer of 1991. Subsequently, 9234 has undergone three years of testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of resistance to Soybean Cyst Nematode race 3 and high yield compared to similar SCN-resistant varieties, variety 9234 was released for sale.

The purification block was grown during the summer of 1994 and 112 sublines were bulked for increase. Eight acres of 9234 (breeders seed) were grown in the winter of 1994 in Chile. One hundred seventy-six acres of parent seedstock (foundation seed equivalent) were grown in the summer of 1995 and 8,441.5 bushels harvested.

Exhibit B. Statement of Distinctness

Soybean Variety 9234.

Variety 9234 is most similar to variety 9221. Both varieties have resistance to Soybean Cyst Nematode race 3, purple flowers, and brown pods.. However, 9234 has tawny pubescence and yellow seeds with brown hila, and 9221 has gray pubescence and yellow seeds with buff hila.

All other varieties in Maturity Groups I and II that have purple flowers, tawny pubescence, and yellow seed with brown hila do not have resistance to Soybean Cyst Nematode race 3.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY

SOYBE	AN (Glycine max L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.		9234
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code)		FOR OFFICIAL USE ONLY
7300 N.W. 62nd Ave., P.O. Box 1004		PVPO NUMBER
Johnston, IA 50131-1004		9600387
Choose the appropriate response which characterizes the variety in the the number of boxes provided, place a zero on the first box when numb adequate soybean variety description. Other characters should be description.	er is 9 or less (e.g. [6] 6] \ Star	rred characters 🚣 are considered fundamental to an
1. SEED SHAPE:		
2 L	W	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	2 - Cubaria	Platter of DRM of the American
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	•	l Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) Flattened (L/T ratio > 1.2; T/W > 1.2)
★ 2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Spe	ecify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton')	2 = Shiny ('Nebsoy'; 'Ga	soy 17')
★4. SEED SIZE: (Mature Seed)		
1 7 Grams per 100 seeds		
★ 5. HILUM COLOR: (Mature Seed)		
3 1 = Buff 2 = Yellow 3 = Brown 4 = Gray	5 = Imperfect Black 6 = Bl	ack 7 = Other (Specify)
★ 6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		
★ 8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 a) 2 = Type	B (SP1 b)	
★ 9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis')	2 = Green with bronz	ze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'I	Pickett 71')	
4 = Dark Purple extending to unifoliate leaves	('Hodgson'; 'Coker Hampton	266A')
★ 10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ov	ate 4 = Other (Specif	y)
FORM LMGS-470-57 (6-83) (Edition of 2-82 is obsolete.)		Page 1 of 4

Variety Name 9234

	11. LEAFLET SIZE:
	2 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17')
	3 = Large ('Crawford'; 'Tracy')
	12. LEAF COLOR:
	2 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')
*	13. FLOWER COLOR:
	2 1 = White 2 = Purple 3 = White with purple throat
*	14. POD COLOR:
	2 1 = Tan 2 = Brown 3 = Black
*	15. PLANT PUBESCENCE COLOR:
	1 = Gray 2 = Brown (Tawny)
	- 1- Gray 2- Brown (Tawny)
	16. PLANT TYPES:
	2 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton')
	3 = Bushy ('Gnome'; 'Govan')
*	17. PLANT HABIT:
	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')
	3 - indeterminate (Nebsoy, improved Pelican)
*	18. MATURITY GROUP:
	$\begin{bmatrix} 0 & 5 \end{bmatrix}$ $1 = 000$ $2 = 00$ $3 = 0$ $4 = 1$ $5 = 11$ $6 = 111$ $7 = 1V$ $8 = V$
	9 = VI 10 = VII 11 = VIII 12 = IX 13 = X
*	
	19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)
	BACTERIAL DISEASES:
	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)
	Bacterial Blight (Pseudomonas glycinea)
	★ 0 Wildfire (Pseudomonas tabaci)
	FUNGAL DISEASES:
	★ 1 Brown Spot (Septoria glycines)
	Frogeye Leaf Spot (Cercospora sojina)
	Race 1 Race 2 Race 3 Race 4 Race 5 Other (Specify)
	Target Spot (Corynespora cassiicola)
	O Downy Mildew (Peronospora trifoliorum var. manshurica)
	O Powdery Mildew (Microsphaera diffusa)
	★ 1 Brown Stem Rot (Cephalosporium gregatum)
	O Stom Conkey (Disporthy physical array applicant)

19.	19. DISEASES REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)											
	FUNGAL DISEASES: (Continued)											
*	1 Pod and Stem Blight	Pod and Stem Blight (Diaporthe phaseolorum var; sojae)										
	0 Purple Seed Stain (Purple Seed Stain (Cercospora kikuchii)										
	1 Rhizoctonia Root Rot	(Rhizoctonia solani)										
	Phytophthora Rot (F	Phytophthora megasperma var. sojae)										
*												
	1 Race 8 1 Race	e 9 2 Other (Specify) 10, 13, 17	<u>-</u>									
	VIRAL DISEASES:											
	1 Bud Blight (Tobacco	Ringspot Virus)										
	1 Yellow Mosaic (Bean	Yellow Mosaic Virus)										
*	1 Cowpea Mosaic (Cow	pea Chlorotic Virus)										
	Pod Mottle (Bean Pod	Mottle Virus)										
*	1 Seed Mottle (Soybean	Mosaic Virus)										
	NEMATODE DISEASES:											
	Soybean Cyst Nemato	de (Heterodera glycines)										
*[0 Race 1 0 Race	2 2 Race 3 0 Race 4 2	Other (Specify) 5									
	0 Lance Nematode (Hop	lolaimus Colombus)	·									
*	0 Southern Root Knot No	ematode (Meloidogyne incognita)										
*	0 Northern Root Knot N	ematode <i>(Meloidogyne Hapla)</i>										
Ī	Peanut Root Knot Nen	natode (Meloidogyne arenaria)										
Ī	Reniform Nematode (Rotylenchulus reniformis)										
Ī	OTHER DISEASE NOT	ON FORM (Specify)										
20. P	HYSIOI OGICAL BESDON	SES: (ENTER A - Not tooted 4 - Surger	ithia a - Danistana)									
★ [2 Iron Chiorosis on Calc	SES: (ENTER 0 = Not tested, 1 = Suscept	ible, 2 = Resistant)									
L		areois Joh										
L	Other (Specify)											
21. IN	SECT REACTION: (ENTE	ER 0 = Not tested, 1 = Susceptible, 2 = Re	sistant)									
	Mexican Bean Beetle (Epilachna Varivestis)											
	Potato Leaf Hopper <i>(Empoasca fabae)</i>											
Ī	Other (Specify)											
22. IN	DICATE WHICH VARIETY	MOST CLOSELY RESEMBLES THAT SU	BMITTED.									
	HARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY								
	Plant Shape 9221 Seed Coat Luster 9172											
L	eaf Shape	9221	Seed Size	9231								
L	eaf Color	9221	Seed shape	9172								
Le	eaf Size	9221	Seedling Pigmentation	9172								

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD
Submitted	128.7	2.1	89			40.7	23.1	13.2	3
Name of Similar 9231	128.9	1.6	84			41.8	22.1	12.3	3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19

Exhibit D. Additional Description of the Variety

Soybean Variety 9234

In Exhibit C we have identified variety 9234 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 9234 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 9234 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

Variety 9234 is an early group II variety. If group II maturities are divided into tenths, the relative maturity of 9234 is 2.2.

Isozyme Table

ACO2	ACO3	ACP	\mathbf{DIA}	ENP	IDH2	MDH	MPI	PGM1	PHI1
2	1	\mathbf{A}	\mathbf{B}	\mathbf{A}	1	В	\mathbf{A}	1	1



Exhibit E. Statement of the Basis of Applicant's Ownership

Soybean Variety 9234

Variety 9234 was originated and developed by U.S. plant breeders from whom, by agreement, Pioneer Hi-Bred International, Inc. has obtained exclusive rights to variety 9234. No rights to variety 9234 are retained by the plant breeder or by any other party.